

Full Spectrum Mango - 2400

| | | | |
|------------------|------------------------|-----------------|-----------------------------------|
| Batch ID: | N/A | Test ID: | T000079931 |
| Reported: | 14-Jun-2020 | Method: | Edible - Test Methods: TM05, TM06 |
| Type: | Edible | | |
| Test: | Microbial Contaminants | | |

MICROBIAL CONTAMINANTS

| Contaminant | Result (CFU/g)* |
|--------------------------------|-----------------|
| Total Aerobic Count** | None Detected |
| Total Coliforms** | None Detected |
| Total Yeast and Molds** | None Detected |
| E. coli | None Detected |
| Salmonella | None Detected |

* CFU/g = Colony Forming Unit per Gram



** Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples: $10^2 = 100$ CFU
 $10^3 = 1,000$ CFU
 $10^4 = 10,000$ CFU
 $10^5 = 100,000$ CFU

NOTES:

Free from visual mold, mildew, and foreign matter
TYM: None Detected
Total Aerobic: None Detected

FINAL APPROVAL


Robert Belfon
13-Jun-2020
12:16 PM
Mike Branvold
14-Jun-2020
7:55 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03



Certificate #4329.03